

- **80-1** Explosives compatibility marking scheme for paint packages
- **80-2** Wood preservative and fire retardant, ammonium phosphate mixture
- **80-3** Paint, priming, zinc chrome, stoving. Types: brushing, spraying
- **80-4** Paint, priming, zinc dust. Type: brushing
- **80-5** Paint priming, zinc chrome. Type: brushing, spraying
- **80-6** Paint, priming, sealing, alkali resisting. Type: brushing
- **80-7** Paint, priming, red oxide/zinc chrome, air drying. Types: brushing, spraying, dipping
- **80-8** Paint, system, optical instruments, matt black stoving. Paint, priming, optical instruments, matt black, stoving. Paint, finishing, optical instruments, matt black, stoving. Types: brushing, spraying
- **80-9** Paint, aluminium, flame resisting, air drying. Types: brushing, spraying
- **80-10** Paint, priming, red oxide of iron/zinc chrome, stoving, LF quality. Types: brushing, spraying dipping
- **80-11** Paint, aluminium, flame resisting, stoving, spraying
- **80-12** Paint, finishing, oil resisting, stoving. Types: brushing, spraying
- **80-13** Paint, priming, red oxide of iron/zinc chrome, stoving. Types: brushing, spraying, dipping
- **80-14** Paint remover, dichloromethane water rinsable. Type: brushing
- **80-15** Paint, pre-treatment primer (etching primer) Types: brushing (base and acid component) Spraying (base and acid component)
- **80-16** Paint remover, dichloromethane, water rinsable. Type 1: high viscosity (brushing). Type 2: low viscosity (spraying)
- **80-17** Paint, priming, sealing, alkali resisting, LF quality. Type: brushing
- **80-18** Paint, priming, red oxide of iron/zinc chrome, LF quality. Types: brushing, spraying, dipping
- **80-19** Cleaning compound, solvent, cold bath type, for metal (cresylic acid/dichloromethane)
- **80-20** Cleaning compound, solvent, cold bath type, for metal (cresylic acid/dichloromethane)
- **80-21** Type F1 wood preservative solution (pentachlorophenol type)
- **80-22** Desiccant, activated (silica gel for dynamic air drying)
- **80-23** Paint, finishing, bituminous, aluminium. Types: brushing, spraying
- **80-24** Lacquer, acrylic. Grade 1 – type QX compatible. Grade 2 – non-QX
- **80-25** Paint, ammunition finishing, stoving and dipping. Type: semi-gloss matt
- **80-26** Paint, finishing, ammunition, stoving, LF quality. Paint, priming, ammunition, stoving, LF quality. Scheme A: System of primer and finish. Scheme B: One-coat finish. Types: brushing, spraying, electrostatic spraying, dipping.
- **80-27** Paint, ammunition finishing, brushing, spraying and dipping. Types: semi-gloss matt
- **80-28** Paint, finishing, ammunition, LF quality. Paint, priming, ammunition, LF quality. Scheme A: System of primer and finish. Scheme B: one-coat finish. Types: brushing, spraying, electrostatic spraying, dipping
- **80-29** Paint, finishing, general service, gloss, for marine use.
- **80-30** Paint, finishing, gasoline-resistant. Types: brushing, spraying
- **80-31** Paint, finishing, general service, aluminium. Types: brushing, spraying
- **80-32** Paint, finishing, general service, gloss, heat-resistant. Types: brushing, spraying
- **80-33** Paint, finishing, general service, gloss, heat resistant, lead-free. Types: brushing, spraying
- **80-34** Corrosion preventive, compound oil, thin film. Joint Service Designation: PX-4
- **80-35** Varnish, epoxide, stoving, type QX Type: spraying
- **80-36** Paint, finishing, respirators, semi-gloss, stoving. Type: spraying
- **80-37** Paint, finishing, cellulose nitrate, oil-resisting. Types: brushing, spraying
- **80-38** Thinners for paint epoxy two-pack, cellulose nitrate paints, dopes and lacquers
- **80-39** Varnish, oil bitumen, anchoring, type QX Types: brushing, spraying
- **80-40** Stopper, metal surface, two-pack
- **80-41** Paint, finishing, defence equipment, matt. Type: brushing, spraying
- **80-42** Paint, system, defence equipment, IRR matt. Stoving. Paint, undercoat, defence equipment, stoving. Paint, finishing, defence equipment, IRR matt, stoving. Types: dipping, spraying.
- **80-43** Lacquer, shellac, kaolin, stearated type QX
- **80-44** Lacquer, Shellac, Type QX Grades: 40%, 30%, 20%, 14.5%, 11%, 6%
- **80-45** Lacquer, shellac/castor oil type QX. Types: brushing, dipping
- **80-46** Adhesive, shellac, Type QX Grades: 50%, 60%
- **80-47** Adhesive, shellac, special type QX
- **80-48** Paint, finishing, general service, gloss, stoving, spraying

- **80-49** Paint, finishing, general service, gloss, stoving, LF quality. Types: brushing, spraying, electrostatic spraying, dipping
- **80-50** Paint, system, defence equipment, gloss. Paint, undercoat, defence equipment. Paint, finishing, defence equipment, gloss. Types: brushing, spraying, dipping
- **80-51** Paint, system, defence equipment, gloss, stoving. Paint, undercoat, defence equipment, stoving. Paint, finishing, defence equipment, gloss, stoving. Types: dipping, spraying
- **80-52** Adhesive, non-corrosive, for machine-glued cartons
- **80-53** Paint, finishing, general service, gloss, LF quality. Types: brushing, spraying
- **80-54** Paint, finishing, general service, gloss. Types: brushing, spraying
- **80-55** Paint, finishing, ammunition, general service, quick drying, semi-gloss. Types: brushing, spraying, dipping
- **80-56** Paint, finishing epoxide, stoving, black, for small arms, spraying
- **80-57** Adhesive, rubber resin No.3. Adhesive, rubber resin No.5
- **80-58** Paint system, hard gloss enamel, LF quality. Paint, finishing, hard gloss enamel, LF quality. Paint, undercoat, for hard gloss enamel, LF quality. Types: brushing, spraying
- **80-59** Paint system. Hard gloss enamel. Paint, finishing, hard gloss enamel. Paint, undercoat, for hard gloss enamel. Types: brushing, spraying
- **80-60** Paint, system, stoving, hammer, finish, spraying
- **80-61** Paint system, hammer finish, air-drying. Paint, hammer finish, air drying. Paint, filler, for paint, hammer finish, air drying. Type: spraying
- **80-62** Reference should now be made to Def Stan 80-66 Paint system, interior, semi-gloss. Types: brushing, spraying
- **80-65** Paint, finishing for Jerricans, stoving. Types: interior exterior
- **80-66** Paint, finish, interior, eggshell. Types: brushing
- **80-67** Solvent, cleaning, for painting equipment
- **80-68** Paint, marking. Types: brushing, brush stencilling, spray stencilling, silk screen stencilling, ink jet spraying
- **80-69** Paint, paste, marking
- **80-70** Paint, marking, LF quality. Types: brushing, brush stencilling, spray stencilling, roller stencilling silk screen stencilling
- **80-71** Paint, marking, Paste, LF quality
- **80-72** Paint, system, acid and alkali resisting
- **80-73** Paint, anti-slip: brushing
- **80-74** Adhesive, nitrile rubber-resin, type QX, grades S1 and S2
- **80-77** Paint, priming, fire-retardant, brushing
- **80-78** Paint, finishing, flame retardant, brushing
- **80-79** Adhesive natural rubber resin type QX
- **80-80** Anti-seize compound, graphite NATO code: S-720 Joint Service Designation: ZX-13
- **80-81** Anti-seize compound, molybdenum disulphide NATO Code No: S-722 Joint Service Designation: ZX-38
- **80-82** Composition, bituminous, RD 1083
- **80-83** Corrosion preventive, hard film, transparent, cold application. Joint Service Designation: PX-32
- **80-84** Paint, floor, petrol and oil resisting. Types: brushing, spraying
- **80-85** Corrosion preventive compound: Soft film, hot application NATO Code No: C-628 Joint Service Designation: PX-11
- **80-86** Adhesive, natural rubber
- **80-87** Adhesive for affixing paper labels to tinfoil
- **80-88** Thinner for paint, finishing, polyurethane two pack, spraying quality
- **80-89** Thinners for paint, finishing, polyurethane, two pack, rolling quality
- **80-90** Polystyrene cement and varnish, type QX RD 1221 A and RD 1276 A
- **80-91** Paint, paste, printing, type QX
- **80-92** Lacquer, phenol-formaldehyde, stoving, type QX, grades 22%, 30%, 39%. Types: dipping, spraying
- **80-93** Paint epoxide, stoving
- **80-94** Varnish, lithographic, thin, type QX
- **80-95** Paint, bullet tipping
- **80-96** Lacquer, plasticized phenolic resin, Type QX
- **80-97** Paint, system, for the interior of bulk fuel tank and fittings, two pack
- **80-98** Adhesive, phenol-formaldehyde solution, hot curing, type QX
- **80-99** Thinners for paint finishing acrylic, spraying quality
- **80-100** Technical requirements for the quality control of paint, varnishes and allied materials. This Def Stan supersedes QTR/MQAD/13
- **80-101** Adhesive, phenol-formaldehyde-polyvinyl formal, liquid, hot curing, Type QX
- **80-103** Varnish chart
- **80-104** Varnish oil bitumen. Unpigmented, type QX (RD 1219). Soft, type QX (1322). Pigmented, type QX (RD 1229)
- **80-105** Adhesive, epoxide, two part (solventless), hot curing no.4
- **80-106** Adhesive, polychloroprene, two-part

- **80-108** Lacquer, natural shellac, 40%, Type QX
- **80-109** Varnish RD 1177 for armaments, type QX
- **80-110** Paint, distemper, for aircraft
- **80-111** Paint, finishing, low sheen, black, brushing
- **80-112** Paint system, coal tar epoxy two-pack
- **80-113** Paint, system, optical instruments, matt black. Paint, priming, optical instruments. Paint, finishing, optical instruments, matt black. Types: brushing, spraying
- **80-114** Paint, priming, defence equipment. Types: brushing, spraying, dipping
- **80-115** Adhesive for affixing paper labels to aluminium
- **80-116** Paint, system, stoving, textured
- **80-117** Synthetic rubber/resin adhesive No.7
- **80-119** Adhesive, non-corrosive and water resistant
- **80-120** Paint, finishing temporary snow camouflage
- **80-121** General purpose contact adhesive, non-flammable
- **80-122** Powder coating, high durability, stoving
- **80-123** Paint, priming, zinc phosphate, stoving, Types: spraying, dipping
- **80-124** Paint, priming, stoving, defence equipment. Types: spraying, dipping
- **80-125** Paint, finishing, emulsion, for canvas, brushing
- **80-126** Paint, priming, zinc phosphate, air drying. Types: brushing, spraying, dipping
- **80-127** Lacquer, cellulose nitrate, type QX. Grades 1.0 and 1.1: brushing, sealing. Grade 2.0: Spraying. Grade 3.0 and 3.1: dipping
- **80-128** Paint, finishing, temporary camouflage, alkali removable
- **80-129** Varnish, electrical insulating, brushing. Type 1: standard. Type 2: Fungicidal
- **80-130** Adhesive, transfer, flexible, pressure-sensitive
- **80-131** Paint, aluminium, heat resisting. Type: brushing
- **80-132** Adhesive, polyvinyl acetate emulsion
- **80-133** 3-glycidoxypropyl-trimethoxy silane
- **80-134** Paint system, anti-slip for ships flight decks, two-pack
- **80-135** Adhesive, synthetic, one-part, general purpose, for wood (Grade 1 and Grade 2)
- **80-136** Paint system, radar-absorbing, anti-slip, IRR
- **80-137** Varnish, alkyd, polyurethane modified, one-pack, brushing. Types: matt and gloss
- **80-138** Varnish, polyurethane, two-pack. Types: matt gloss
- **80-141** Paint, finishing, matt black, heat resisting. Type: brushing, spraying
- **80-142** Corrosion preventive, hydraulic system NATO Code: C-635 Joint Service Designation: PX-26
- **80-143** corrosion preventive, automotive, underbody and hollow section, Joint Service Designation: PX-28
- **80-145** Corrosion preventive, hard film, hot application. Joint Service Designation: PX-15
- **80-146** Adhesive, methyl and ethyl cyanoacrylate, Types 1, 2 and 3
- **80-148** Adhesive, epoxide, general purpose
- **80-149** Adhesive, water-borne, contact (type 1 and type 2)
- **80-150** Adhesive, nitrile rubber-resin grades S1 and S2
- **80-151** Paint, finishing, for interior decks and dadoes. Types: brushing, spraying
- **80-152** Paint, system, epoxide, stoving
- **80-153** Paint, system, defence equipment, matt. Types: brushing, spraying, dipping
- **80-154** Adhesive, natural rubber-resin Grade 1 and Grade 2
- **80-155** Paint, system high build for the interior of bulk fuel tanks, airless spray
- **80-156** Paint system, high build, fibre reinforced for the interior of bulk fuel tanks
- **80-157** Epoxide resin putty system
- **80-158** Paint, system, erosion resisting for aircraft polyurethane Two-pack VOC Compliant
- **80-159** Sealing strip, preformed
- **80-161** Paint, finishing, spraying, epoxy, multi-pack
- **80-162** Sealing compound (two-part), for screw threads, type QX (Cashew polymer base, RD 1286)
- **80-163** Paint system, defence equipment, heavy duty (two pack)
- **80-164** Paint system, fluorescent
- **80-165** Paint system for ships' weatherwork, high durability, light weatherwork grey. Type: brushing
- **80-166** Paint system defence equipment. IRR matt, (two-pack). Paint, priming, epoxide, type 1, ferrous. Paint, priming, epoxide, type 2, non-ferrous. Paint, undercoat, epoxide. Paint, finishing, IRR matt, polyurethane
- **80-167** Adhesive, hot melt, for packaging purposes
- **80-168** Compound, protective for vehicle underbodies, water-based
- **80-169** Powder coating, stoving types: Matt, semi-gloss and glossy
- **80-170** Ink, marking for rubber renade cases. Type: silk screen stencilling
- **80-171** Ink, liquid, marking, quick drying

- **80-173** Waterproofing compound for refractory furnace linings. Type: brushing, spraying
- **80-174** Paint, system ammunition, matt, stoving
- **80-175** Varnish, ammunition, stoving, type QX. Class A epoxy ester B silicone alkyd C tung oil phenolic. Types: brushing, spraying, dipping
- **80-176** Varnish, copal, type QX
- **80-177** Adhesive, epoxide, solution, hot curing, No.1, type QX
- **80-178** Paint, finishing micaceous iron oxide
- **80-179** Paint, epoxy, solvent free (two-pack)
- **80-180** Cellulose nitrate for lacquers (Propan-2-ol damped)
- **80-181** Cement, Celluloid
- **80-182** Paint system for aromatic polyamide fibre and ammunition components. Type QX
- **80-183** Paint, priming, for Galvanized steel. Types: brushing, dipping, spraying
- **80-184** Paint, priming, zinc phosphate, two-pack
- **80-185** Powder coating, finish, stoving, flame retardant, electrostatic spraying. Types: low sheen semi-gloss, gloss
- **80-186** PX-31, corrosion preventive compound: hard film, cold application
- **80-187** Paint system for ships' weatherwork. Paint priming, ships' weatherwork. Paint, undercoat, ships' weatherwork. Paint, finishing, ships' weatherwork. Type: brushing
- **80-188** Paint. Emulsion for exterior use, low sheen finish
- **80-189** Paint, priming, chromate, two-pack
- **80-190** Paint, marking, road line (epoxide based) Types: brushing, spraying and machine application
- **80-191** Paint, marking, road line (single pack) Types: brushing, spraying and machine application
- **80-192** Lacquer polyvinyl alcohol for fuzeheads, type QX
- **80-193** Polyvinyl alcohol for lacquers, Type QX
- **80-194** Acrylic (thermoplastic) media for paint removal
- **80-195** Cement RD 1158G
- **80-196** Paint remover, trichloroethylenebased, water rinsable, brushing, spraying
- **80-197** Paint remover, dichloromethane/phenol, water rinsable. Brushing, spraying
- **80-198** Paint remover, special
- **80-199** Polyvinyl formal, type QX, grades 1, 2A and 2B
- **80-200** Adhesive, polychloroprene, two-part with primer
- **80-201** Adhesive, polychloroprene, one-part
- **80-202** Adhesive, epoxide, two-part, room temperature curing, general purpose (grades 1,2 and 3)
- **80-204** Paint, system, ground service equipment, gloss, dew point tolerant. Types: brushing, spraying
- **80-206** Paint, priming, zinc phosphate, two-pack epoxy, non-aircraft use, low VOC
- **80-207** Paint, priming, zinc chromate two pack epoxy, non-aircraft use, low VOC
- **80-208** Paint, finishing, polyurethane multi-pack, matt, IRR, Non aircraft use, low VOC
- **80-209** Paint, finishing, polyurethane multi-pack, gloss, non-aircraft use, low VOC
- **80-210** Paint, finishing, polyurethane, two pack, anti-slip for external use, low VOC types 1, 2 and 3
- **80-211** Paint, finishing, epoxy, anti-slip for internal use, low VOC, types 1, 2 and 3
- **80-213** Paint, finishing, polyurethane, two-pack, anti-slip, for land vehicles, low VOC
- **80-214** Paint, finishing, spraying selectively strippable acrylic. Types: brushing, spraying
- **80-215** Paint, finishing, temporary camouflage, alkali removable, non-aerospace use
- **80-216** Paint, filler, spraying, epoxy, multi-pack
- **80-217** Corrosion preventive compound: soft film, cold application NATO Code: C-614 Joint Services Designation: PX-1