
Product Name:

QAD Primers (Quick Air Drying Primer)

Product Number:

- ADP01 – Light Grey – Anti Corrosive
 - ADP04 – Black – Anti Corrosive
-

Product Description:

- Quick Air Dry
 - Good Build Properties
 - Excellent Exterior Weathering
 - Resistant to Petrol and Oils
 - Suitable for Agricultural Equipment; Machinery and Machine Tools; Racking Systems; Skips and General Metalwork
-

Approvals/Specifications:

Designed for use as a metal protection primer for use under suitable air drying finishes or for use as a standalone coating.

Performance:

Resistant to:

- Mineral Oil
- Vehicle anti-freeze
- Grease

ASTM B117 – hot salt spray, minimum 250 hours, steel substrate.

Components:

Single component product. May be thinned for spray with AD-THIN

Application:**Surface Preparation:**

Ensure surfaces are clean and free from dust, dirt etc.

Degrease and preferably pre-treat metals surfaces with phosphate or chromate pre-treatment or etch primer. May be applied to clean bare metal surfaces.

Paint Preparation:

Stir well before use.

Application Method:

Apply by Conventional, HVLP or Air less Spray.

Can be adjusted for Electrostatic Spray: Refer to our Technical Department.

Can be brush applied on small areas as a touch up.

Can be applied at supply viscosity; normally thinned with 10-20% AD-THIN

Drying Curing:

Touch Dry: 20 minutes

Handleable: 1 hour

Hard Dry for Packing: 24 hours

Technical Properties:

Supply Viscosity:	70-80 Secs / B4 cup / 20°C
Flash Point:	22-32°C
VOC Content:	540 g/litre
Colour:	Black or Light Grey
Pack Size:	5 litre
Density:	1.00-1.20kg/l dependent on colour
Gloss:	Matt Primer
Thinner:	AD-THIN
Solvent/Clean Up:	40006 Gun Cleaner
Catalyst:	N/A
Theoretical Coverage:	8-10m ² / per litre

Storage:

Highly flammable liquid: store and use in accordance with the flammable liquid regulations

Shelf Life: 12 months temperate; 6 months tropical

Before use, refer to Product Safety Data Sheet

Disclaimer:

The information printed in this publication is based upon the research and experience of Indestructible Paint Ltd. No representation of warranty is made, however, concerning the accuracy or completeness of the information presented in this publication. Indestructible Paint Ltd make no warranty or representation of any kind, express or implied. Including without information limitation any warranty or merchantability or fitness for any particular purpose, and no warranty or representation shall be implied by law or otherwise. Any products sold by Indestructible Paint Ltd are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose in particular to the buyer is for the buyer to determine. Indestructible Paint Ltd assumes no responsibility for the selection of products suitable to the particular purpose of any particular buyer. Indestructible Paint Ltd shall in no event be liable for any special, incidental or consequential damages.

Technical Data Sheet



Safety Data Sheets:

For Safety Data Sheets please contact our Sales Department:

Tel: +44(0)121 702 2485

Email: sales@indestructible.co.uk