Technical Data Sheet



Product Name:	Issue 2 Stoving Matt Black Epoxy Finish Coat for Spraying Small Arms	
Product Number:	IP80-56-9003	
Product Description:	Epoxy modified stoving matt black paint for application to phosphated surfaces of small arms and components.	
Approvals/Specifications:	- Def Stan 80-56 Issue 2 May 1995	
Performance:	 Approved by Ministry of Defence for resistance to the following: Gloss 9 ± 3 units using 60° head Wettability Bend Test Impact – pendulum Scratch Resistance Oil Resistance Heat Resistance 250°C 2 hours Humidity BS3900, Part F9 for 4 days Continuous salt spray BS3900, Part F4 for 5 days Abrasion resistance Phosphoric acid resistance 	
Components:	Single Pack Product. May be thinned for application by using 665-550-025	
Application:		
Surface Preparation:	All surfaces must be oil and grease free. Coating may be applied onto bare metal, phosphate or pre-primed substrate.	
Paint Preparation:	Thin as required with 665-550-025 thinners	

Indestructible Paint Ltd, 16-25 Pentos Drive, Sparkhill, Birmingham B11 3TA Tel: +44(0)121 702 2485, Fax: +44 (0)121 778 4338, E-Mail: <u>sales@indestructible.co.uk</u>, Web: <u>www.indestructible.co.uk</u> Registered in England: 1376995

Technical Data Sheet



Application Method:	Intended for spray application. Small areas or components may be brush or dip coated.		
Drying Curing:	Flash off 15 minutes; stove 60 minutes at 180 - 200°C		
Technical Properties:	Supply Viscosity:	Ready for Use	
	Flash Point:	24°C	
	VOC Content:	550 g/lt	
	Colour:	Clear	
	Pack Size:	5 Litres	
	Density:	1.15kg/l	
	Gloss:	Semi-Matt	
	Thinner:	665-550-025	
	Solvent/Clean Up:	40006	
	Catalyst:	N/A	
	Theoretical Coverage:	15 sq/m litre	
Storage:	Highly flammable liquid: store and use in accordance with the flammable liquid regulations Shelf Life: 12 months temperate; 6 months tropical Before use, refer to Product Safety Data Sheet		
Disclaimer:	The information printed in this publication is based upon the research and experience of Indestructible Paint Ltd. No representation of warranty is made, however, concerning the accuracy or completeness of the information presented in this publication. Indestructible Paint Ltd make no warranty or representation of any kind, express or implied. Including without information limitation any warranty or merchantability or fitness for any particular purpose, and no warranty or representation shall be implied by law or otherwise. Any products sold by Indestructible Paint Ltd are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose in particular to the buyer is for the buyer to determine. Indestructible Paint Ltd assumes no responsibility for the selection of products suitable to the particular purpose of any particular buyer. Indestructible Paint Ltd shall in no event be liable for any special, incidental or consequential damages.		

Indestructible Paint Ltd, 16-25 Pentos Drive, Sparkhill, Birmingham B11 3TA Tel: +44(0)121 702 2485, Fax: +44 (0)121 778 4338, E-Mail: <u>sales@indestructible.co.uk</u>, Web: <u>www.indestructible.co.uk</u> Registered in England: 1376995

Technical Data Sheet



Safety Data Sheets:

For Safety Data Sheets please contact our Sales Department:

Tel: +44(0)121 702 2485

Email: sales@indestructible.co.uk